

FEDERAL ENERGY ADMINISTRATION
WASHINGTON, D.C. 20585

July 16, 1975

OFFICE OF THE ADMINISTRATOR

Honorable Nelson A. Rockefeller,
President of the Senate
Washington, D.C. 20510

Dear Mr. President:


Section 4(g)(2) of the Emergency Petroleum Allocation Act of 1973, as amended ("the Act"), authorizes the President of the United States to promulgate exemptions to the petroleum price and allocation regulations under certain conditions. If the President finds that application of the petroleum price or allocation regulations to a particular covered product is not necessary to carry out the Act, that there is no shortage of the covered product concerned, and that the proposed exemption will not have an adverse impact on the supply of any other covered product, he may prescribe an amendment which would exempt the covered product for a period of not more than ninety days.

However, §4(g)(2) of the Act requires the President to submit these findings, together with the proposed exemption relating thereto, to the Congress prior to implementation of the exemption proposal. Section 4(g)(2) further provides that the proposed exemption may not be implemented if disapproved by either house of Congress during the period of five sessional days allowed for legislative review.

As Administrator of the Federal Energy Administration, I have been delegated by the President all authority granted to him by the Act. E.O. 11790, 39 F.R. 23185 (June 27, 1974).

Having caused due notice to be given concerning the enclosed regulatory amendment to decontrol domestic crude oil prices on a gradual basis, having caused hearings to be held thereon pursuant to law, and having made such findings as are required under §4(g)(2) of the Act, I now submit to the House in accordance with §4(g)(2) of the Act the enclosed amendment and related findings. Unless disapproved by either house of Congress, the amendment will be effective immediately upon expiration of the period of five sessional days allowed for legislative review.

Sincerely,



Frank G. Zarb
Administrator

Enclosure